NEW YORK UNIVERSITY

Institute of Mathematical Sciences

Division of Electromagnetic Research

NEW YORK UNIVERSITY
INSTITUTE OF MATHEMATICAL SCIENCES
25 Waverly Place, New York 3, N. Y.

RESEARCH REPORT No. EM-147

Decay Exponents and Diffraction Coefficients for Surface Waves on Surfaces of Non-Constant Curvature

JOSEPH B. KELLER and BERTRAM R. LEVY

Contract No. AF 19(604)5238

OCTOBER 1959

NEW YORK UNIVERSITY

Institute of Mathematical Sciences
Division of Electromagnetic Research

Research Report No. EM-147

DECAY EXPONENTS AND DIFFRACTION COEFFICIENTS FOR
SURFACE WAVES ON SURFACES OF NON-CONSTANT
CURVATURE

by

Joseph B. Keller

and

Bertram R. Levy

Joseph B. Keller

Bertram R. Levy

Morris Kline
Project Director

Dr. Werner W. Gerbes
Contract Monitor

The research reported in this document has
been sponsored by the Air Force Cambridge
Research Center, Air Research and Develop-
ment Command, under Contract No. AF 19(604)5238.

Requests for additional copies by Agencies of the Department of Defense, their contractors, and other Government agencies should be directed to the:

ARMED SERVICES TECHNICAL INFORMATION AGENCY
DOCUMENTS SERVICE CENTER
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA

Department of Defense contractors must be established for ASTIA service or have their 'need-to-know' certified by the cognizant military agency of their project or contract.

All other persons and organizations should apply to the:

U.S. DEPARTMENT OF COMMERCE
OFFICE OF TECHNICAL SERVICES
WASHINGTON 25, D.C.

Abstract

The diffraction of a plane scalar wave by a hard elliptic cylinder is investigated theoretically. The field is obtained and expanded asymptotically for incident wavelengths small compared with the dimensions of the generating ellipse. The method of obtaining the asymptotic expansion of the diffracted field parallels the methods of reference [9]. However, additional terms in the asymptotic expansion are obtained. In reference [9] it was shown that the asymptotic expansion of the diffracted field was in agreement with the geometrical theory of diffraction as presented in references [4] and [5]. The additional terms in the field obtained in this paper we interpret geometrically as higher order corrections to the decay exponents and diffraction coefficients as given in reference [5]. Finally, we obtain additional terms to those given in reference [8] for the asymptotic expansion of the field diffracted by a parabolic cylinder. We then show that these higher order corrections have the same geometrical interpretation as in the case of the elliptic cylinder. The determination of these corrections permits the geometric theory to be extended to longer wavelengths than could be treated previously. Similar results are obtained for soft cylinders. Then the field on a hard convex cylinder of arbitrary shape is determined asymptotically by a quite different method - that of asymptotically solving an integral equation. The result is found to coincide with the generalization based upon the solution for the elliptic cylinder.

Table of Contents

	<u>Page</u>
1. Introduction	1
2. Diffraction by an elliptic cylinder	3
3. Diffraction by a parabolic cylinder	13
4. Integral equation method	21
Appendix	32
References	36

1. Introduction

When a wave is incident upon an opaque object large compared to the incident wavelength a shadow is formed. Some radiation penetrates into the shadow. The first quantitative analysis of this penetration effect for the case of a smooth object was that of G. N. Watson^[1]. He showed that the field in the shadow of a sphere consists of a sum of modes. Each mode decays exponentially with increasing distance from the shadow boundary into the shadow. Numerous authors have pursued Watson's analysis, considering spheres which are not opaque or which are surrounded by non-uniform media. Many of these investigations are described by H. Bremmer^[2]. Independently W. Franz and K. Depperman^[3] discovered the existence of an exponentially decaying wave travelling around a circular cylinder. They also observed that this wave continues travelling into the illuminated region. These results, as well as those referred to above pertain to bodies of constant curvature. What are the corresponding results for objects of non-constant curvature?

This question is answered by the geometrical theory of diffraction introduced by J. B. Keller^[4], which predicted that radiation travels along surface rays. These rays are geodesics on the surface of any object which originate at the shadow boundary. They continually shed diffracted rays which irradiate the shadow and also enter the illuminated region. A quantitative theory of the field diffracted by a cylinder of arbitrary convex cross-section was constructed with the aid of these rays^[5]. In this theory certain decay exponents and diffraction coefficients were introduced. The decay exponents determine the rate of decay of the various field modes along a surface ray. The diffraction coefficients determine the amplitudes of the various modes on a surface ray,

and the amplitude of the field on the shed diffracted rays. It was assumed that the decay exponents and diffraction coefficients depend only upon local properties of the ray and the surface. By comparing the predictions of this theory with the results of W. Franz^[6] for the circular cylinder, the decay exponents and diffraction coefficients were determined. A similar analysis was performed for three dimensional curved objects by B. R. Levy and J. B. Keller^[7].

The results of the geometrical theory of diffraction have been tested by comparing them with the exact solutions of certain diffraction problems involving objects of non-constant curvature. To make this comparison it was necessary to expand the exact solution asymptotically for wavelength small compared to the dimensions of the object. This has been done for the field diffracted by a parabolic cylinder by S. O. Rice^[8], an elliptic cylinder by B. R. Levy^[9] and by R. K. Ritt and N. D. Kazarinoff^[10], and for an ellipsoid of revolution by J. B. Keller and B. R. Levy^[11] and by R. K. Ritt and N. D. Kazarinoff^[12]. In all cases the leading term in the asymptotic expansion agreed precisely with the results of the geometrical theory.

We now propose to improve the geometrical theory of diffraction by an arbitrary cylinder so that it will also yield the next term in the asymptotic expansion. To this end we must determine the next terms in the expressions for the decay exponents and the diffraction coefficients. The previously determined terms involve the radius of curvature of the cylinder. The new terms will involve the derivative of the radius with respect to arclength along the cross-sectional curve. To find the new terms we shall examine the next term in the asymptotic expansion of the exact expression for the field diffracted by an elliptic cylinder. We shall express terms of local geometrical quantities such as the radius of curvature and its derivative. Then we shall assume that

the final geometrical expression is correct for an arbitrary cylinder. As a first test of this result, we shall show that it correctly yields the next term for the field diffracted by a parabolic cylinder. Of course, it also yields the correct term in the case of a circular cylinder. The results are also obtained by asymptotically solving the integral equation for the cylinder current. These results coincide with those obtained by generalizing the results obtained for the elliptic cylinder.

The determination of these new corrections permits us to use our theory for longer wavelengths than could have been treated previously. The improvement resulting from the correction to the decay exponent is shown in [7].

2. Diffraction by an elliptic cylinder

Let us consider the field u produced by a line source parallel to the generators of an elliptic cylinder. Then u is the solution of the following problem

$$(\Delta + k^2)u = \delta(\xi - \xi_0) \delta(\eta) \quad (1)$$

$$\frac{\partial u(a, \eta)}{\partial \xi} = 0 \quad (2)$$

$$\lim_{r \rightarrow \infty} r(iku - u_r) = 0 \quad (3)$$

For simplicity the source has been taken to lie in the plane containing the major axis of the ellipse. The elliptic coordinates (ξ, η) are related to cartesian coordinates by the equations

$$x = h \cosh \xi \cos \eta \quad (4)$$

$$y = h \sinh \xi \sin \eta \quad (5)$$

In (4) and (5) h denotes one half the interfocal distance of the ellipses $\xi = \text{constant}$, of which $\xi = a$ is the cross-section of the cylinder.

In reference [9] it is shown that on the cylinder the solution of (1) - (3) can be written in the form

$$u(a, \eta) = (kh)^2 \sum_{n=1}^{\infty} b_n \frac{C_n(\eta - \pi)}{C_n'(\pi)} \frac{V_n^{(1)}(\xi_0)}{\partial/\partial b V_n^{(1)}(a)} \quad (6)$$

The functions C_n and $V_n^{(1)}$ are defined and asymptotically expanded for large kh in reference [9]. A brief review of the pertinent properties of these functions follows.

The function $V_n^{(1)}$ is the outgoing solution of the equation

$$\frac{d^2 V_n^{(1)}}{d\xi^2} - (kh)^2 (b_n^2 - \cosh^2 \xi) V_n^{(1)} = 0. \quad (7)$$

For large kh it has the asymptotic expansion

$$V_n^{(1)}(\xi) \sim \xi^{1/4} \zeta^{1/3} \pi^{-1} (b_n^2 - \cosh^2 \xi)^{-1/4} A(\zeta^{1/3} e^{-i\pi/3} (kh)^{2/3} \zeta) \quad (8)$$

Here b_n is defined by

$$V_n^{(1)'}(a) = 0. \quad (9)$$

The functions ζ and A are defined by

$$\frac{\zeta}{3} \zeta^{3/2} = - \int_{\cosh^{-1} b_n}^{\xi} (b_n^2 - \cosh^2 x)^{1/2} dx \quad (10)$$

$$A(t) = \int_0^{\infty} \cos(z^2 - tz) dz \quad (11)$$

The function $C_n(\eta)$ is the even solution of the equation

$$C_n'' + (kh)^2 (b_n^2 - \cos^2 \eta) C_n = 0 \quad (12)$$

For large kh it has the asymptotic expansion

$$C_n \sim \cos[kh \int_0^\eta (b_n^2 - \cos^2 \eta)^{1/2} d\eta] \left\{ (b_n^2 - 1)/(b_n^2 - \cos^2 \eta) \right\}^{1/4} \quad (13)$$

We now specialize (6) to the case of plane wave incidence. To do this we multiply (6) by $e^{3\pi i/4} 2^{3/2} \pi^{1/2} (kh \cosh \xi_0)^{1/2} \exp[-ikh \cosh \xi_0]$ and let $\xi_0 \rightarrow \infty$. Then we obtain

$$u(a, \eta) = E \sum_{n=1}^{\infty} \frac{b_n C_n(\eta - \pi)}{C_n'(\pi)} \frac{\exp[-ikh \int_0^{\pi/2} (b_n^2 - \cos^2 \eta)^{1/2} d\eta]}{\partial/\partial b v_n^{(1)'}(a)} \quad (14)$$

Here $E = e^{5\pi i/6} 2^{1/2} (kh)^{7/3}$. Upon expanding the C_n function we find that (14) becomes

$$\begin{aligned} u(a, \eta) &\sim \frac{iE}{kh} \sum_{n=1}^{\infty} b_n \left\{ (b_n^2 - 1)(b_n^2 - \cos^2 \eta) \right\}^{-1/4} \\ &\times \frac{\exp[ikhG(\pi/2, \eta)] + \exp[ikhG(\eta, 3\pi/2)]}{\partial/\partial b v_n^{(1)'}(a)} \left\{ 1 - \exp[2ikhG(0, \pi)] \right\}^{-1} \end{aligned} \quad (15)$$

[†] The details of the evaluation of the limit are to be found in reference [1], p. 14.

In (15) G is defined by

$$G(\alpha, \beta) = \int_{\alpha}^{\beta} (b_n^2 - \cos^2 \eta)^{1/2} d\eta.$$

In reference [9] the leading term in the asymptotic expansion of each of the summands in (15) was computed. In order to carry out this calculation it was found necessary to compute two terms in the asymptotic expansion of the eigenvalue b_n . We shall now compute a further term in the asymptotic expansion of each of the terms in (15). In order to do this we shall first compute another term in the asymptotic expansion of b_n . To do this we first observe that the leading terms in the asymptotic expansion of $V_n^{(1)'}(\xi)$ are obtained by differentiating (8). The leading term in the asymptotic expansion of $V_n^{(1)'}(\xi)$ comes from differentiating the Airy function A . Therefore ζ_n will be nearly equal to the result obtained in [9] so we write it in the form

$$\zeta_n = 3^{-1/3} e^{i\pi/3} (kh)^{-2/3} (1 + \delta_n) q_n. \quad (17)$$

Here $\zeta_n = \zeta(a)$, q_n is the n th root of the equation $A'(q_n) = 0$, and δ_n is an as yet undetermined correction which is small compared to unity.

We now set $b_n = \cosh a + \epsilon_n$ and insert this expression into (10) which determines ζ . In this way we obtain

$$\frac{2}{3} \zeta_n^{3/2} = \frac{2^{3/2}}{3} \frac{(\cosh a)^{1/2}}{\sinh a} \epsilon_n^{3/2} - \frac{2^{1/2} \epsilon_n^{5/2} (\cosh^2 a + 7)}{30 \sinh^3 a (\cosh a)^{1/2}} + O(\epsilon_n^{7/2}). \quad (18)$$

Now we insert (17) and the above form of b_n into (9) and obtain the following result for δ_n

$$\delta_n = \frac{3^{2/3} e^{i\pi/3} (\cosh^2 a + 15 \sinh^2 a + 7)}{80 \cdot 2^{1/3} (\sinh a \cosh a)^{4/3} (kh)^{2/3}} + O((kh)^{-4/3}) . \quad (19)$$

By comparing (18) and (17), and using (19) for δ_n , we determine ϵ_n . Then b_n is given by

$$b_n = \cosh a + \frac{\tau_n (\sinh a)^{2/3}}{(\cosh a)^{1/3} (kh)^{2/3}} + \frac{\tau_n^2 (\cosh^2 a + 7)}{30 (\sinh a)^{2/3} (\cosh a)^{5/3} (kh)^{4/3}} \quad (20)$$

$$- \frac{(2 \cosh^2 a - 1)}{20 \tau_n (\sinh a)^{2/3} (\cosh a)^{5/3} (kh)^{4/3}} + O((kh)^{-2}) .$$

In (20), the quantity τ_n is defined in terms of q_n by

$$\tau_n = \frac{q_n e^{i\pi/3}}{6^{1/3}} . \quad (21)$$

Upon substituting (20) into (16) and asymptotically expanding the the integral, we obtain

$$ikhG(\alpha, \beta) = ikh \int_{\alpha}^{\beta} (\cosh^2 a - \cosh^2 \eta)^{1/2} d\eta + i(kh)^{1/3} (\sinh a \cosh a)^{2/3} \quad (22)$$

$$\times \int_{\alpha}^{\beta} (\cosh^2 a - \cosh^2 \eta)^{-1/2} d\eta + \frac{i \tau_n^2}{30 (kh)^{1/3} (\cosh a \sinh a)^{2/3}}$$

$$\begin{aligned} & \propto \int_{\alpha}^{\beta} (\cosh^2 a - \cos^2 \eta)^{-3/2} \left\{ (\cosh^2 a + 7)(\cosh^2 a - \cos^2 \eta) \right. \\ & \quad \left. - 15 \sinh^2 a \cos^2 \eta \right\} d\eta - \frac{i(2\cosh^2 a - 1)}{20 i_n (kh)^{1/5} (\sinh a \cosh a)^{2/5}} \\ & \propto \int_{\alpha}^{\beta} (\cosh^2 a - \cosh^2 \eta)^{-1/2} d\eta + O((kh)^{-1}) . \end{aligned}$$

In reference [9] it was shown that the first two integrals in (22) have simple geometric interpretations in terms of the arclength s along the ellipse. To show this we let s_1 and s_2 be the values of s corresponding to $\eta = \alpha$ and $\eta = \beta$ respectively. Then we find that the first term on the right of (22) is just ik times the arclength

$$ik \int_{s_1}^{s_2} ds . \quad (23)$$

Similarly, the second term on the right of (22) is

$$ik^{1/3} i_n \int_{s_1}^{s_2} b^{-2/3} ds . \quad (24)$$

Here $b(s)$ denotes the radius of curvature of the ellipse.

We shall now express the third and fourth terms appearing on the right side of (22) in geometric terms.

The third term can be written as

$$\frac{i\tau_n^2}{30 k^{1/3}} \int_{s_1}^{s_2} b^{-4/3} \left(1 + \frac{16}{9} b_s^2 - \frac{8bb_{ss}}{3}\right) ds .$$

The fourth term is equal to

$$- \frac{i}{20\tau_n k^{1/3}} \int_{s_1}^{s_2} b^{-4/3} \left(2 + \frac{2}{9} b_s^2 - \frac{bb_{ss}}{3}\right) ds .$$

The second derivatives in (25) and (26) can be eliminated by integrating by parts . Then (25) and (26), respectively become

$$-\frac{i\tau_n^2}{30k^{1/3}} \left\{ -\frac{8}{3} \frac{b_s}{b^{1/3}} \right\}_{s_1}^{s_2} + \int_{s_1}^{s_2} b^{-4/3} \left(1 + \frac{8}{9} b_s^2\right) ds . \quad (27)$$

$$- \frac{i}{20\tau_n k^{1/3}} \left\{ -\frac{1}{3} \frac{b_s}{b^{1/3}} \right\}_{s_1}^{s_2} + \int_{s_1}^{s_2} b^{-4/3} \left(2 + \frac{1}{9} b_s^2\right) ds . \quad (28)$$

Let us now insert (22) into the expression (15) for $u(a, \eta)$. In doing so we shall utilize the geometric forms (23), (24), (27) and (28) for the integrals in (22). We must also evaluate $\partial V_n'(a)/\partial b$ which we find, by the methods of reference [9], to be given by

$$\frac{\partial}{\partial b} V'_n(a) \sim \pi^{-1} (kh)^{4/3} 2^{1/2} (\sinh a)^{-1/2} (\cosh a)^{1/2} e^{-2i\pi/3} \quad (29)$$

$$\asymp q_n A(q_n) + O((kh)^2) \quad .$$

When all these expressions are inserted into (15), we finally obtain the following asymptotic formula for u :

$$\begin{aligned} u(a, \eta) = & \frac{\pi (\cosh a)^{1/2}}{(\cosh^2 a - \cos^2 \eta)^{1/4}} \sum_{n=0}^{\infty} \{q_n A(q_n)\}^{-1} \left(\exp[ikt_1 + \int_{Q_1}^P \beta_n ds] \right. \\ & \left. + \exp\left[ikt_2 + \int_{Q_2}^P \beta_n ds\right] \right) \left\{ \gamma_n + O(kh)^{-2/3} \right\} \\ & \asymp \left\{ 1 + \exp\left[ikT - \int_0^T \beta_n ds\right] \right\}^{-1} . \end{aligned} \quad (30)$$

In (30) the distances t_1 and t_2 and the points Q_1 , Q_2 and P are as shown in figure 1. The distance T is the total arclength of the ellipse.

The quantities β_n and γ_n are defined by

$$\begin{aligned} \beta_n = & i\tau_n k^{1/3} b^{-2/3} + \frac{i\tau_n^2}{30 k^{1/3}} b^{-4/3} \left(1 + \frac{8}{9} b_s^2\right) \\ & - \frac{1}{20\tau_n k^{1/3}} b^{-4/3} \left(2 + \frac{1}{9} b_s^2\right) . \end{aligned} \quad (31)$$

$$\gamma_n = \exp \left[\frac{e^{i\pi/6} 6^{1/3} b s(P)}{k^{1/3} b^{1/3} (P)} \left(\frac{q_n^2}{45} + \frac{1}{60 q_n} \right) \right] . \quad (32)$$

We shall now relate (30) to the geometric theory of diffraction presented in reference [5]. When this theory is applied to the present case it yields

$$u^d(P) = 2^{1/2} 6^{1/3} \pi^{-1/2} k^{1/6} e^{-i\pi/12} b^{-1/3} (P) \sum_{n=0}^{\infty} A(q_n) B_n(P) \quad (33)$$

$$\left\{ B_n(q_1) \exp[ikt_1 + \int_{Q_1}^P \beta_n ds] + B_n(q_2) \exp[ikt_2 + \int_{Q_2}^P \beta_n ds] \right\} \\ \left\{ 1 - \exp[ikT - \int_0^T \beta_n ds] \right\}^{-1} .$$

Here β_n and B_n are respectively the decay exponent and diffraction coefficient of the n th mode. The leading terms β_n^0 and B_n^0 in the expressions for these quantities, as given in reference [5], are

$$\beta_n^0 = i\tau_n k^{1/3} b^{-2/3} \quad (34)$$

$$B_n^0(P) = \pi^{3/4} 2^{-1/4} 6^{-1/6} k^{-1/2} [q_n^{1/2} A(q_n)]^{-1} e^{i\pi/24} b^{1/6} (P) . \quad (35)$$

Upon comparing (33) and (30) we see that they are identical provided that the decay exponent β_n is given by (31) and the diffraction $B_n(P)$ by

$$B_n(P) = B_n^0(P) \gamma_n(P) \quad (36)$$

The new results (31) and (36) for β_n and B_n agree with the previous results (34) and (35) to the lowest order in k^{-1} . The new value of β_n is valid to $O(k^{-2/3})$ and the new value of B_n to $O(k^{-3/4})$. Thus they contain corrections to the previous results.

The preceding results pertain to a hard elliptic cylinder - i.e. one on which $\partial u / \partial n = 0$. We have performed a similar calculation for a soft elliptic cylinder - i.e. one on which $u=0$. In this case we also find corrections to the decay exponents and to the diffraction coefficients. For the decay exponents we obtain

$$\beta_n = i \tau_n k^{1/3} b^{-2/3} + \frac{i \tau_n^2 b^{-4/3}}{30 k^{1/3}} \left(1 + \frac{8}{9} b_s^2 \right). \quad (37)$$

Here $\tau_n = 6^{-1/3} q_n e^{i\pi/3}$ and q_n is the n th root of the equation $A(q_n) = 0$. For the diffraction coefficients we find

$$B_n(P) = B_n^0(P) \exp \left[\frac{e^{i\pi/6} 6^{1/3} b_s(P) q_n^2}{45 k^{1/3} b^{1/3}(P)} \right]. \quad (38)$$

Here $B_n^0(P)$ is the lowest order result for the diffraction coefficient, given in reference [5], as

$$B_n^0(P) = \pi^{3/4} 2^{1/4} 6^{-2/3} k^{-1/12} [A'(q_n)]^{-1} e^{i\pi/24} b^{1/6} \quad (39)$$

The new results (37) and (39) contain corrections to the previous results, as in the hard case.

We now assume that the results (31) and (36) apply to any hard cylinder and that (37) and (38) apply to any soft cylinder. Of course the cylinder must have a smooth cross section. As a first check on these results we see that when $b_g = 0$ (31) and (37) agree with the results (A17a) and (A17b) of W. Franz^[6] for a circular cylinder.

3. Diffraction by a parabolic cylinder.

As a check on the higher order corrections to the decay exponents and diffraction coefficients which were derived in Section 2 we now consider the problem of diffraction by a parabolic cylinder. Our solution will closely parallel that of S. O. Rice^[8]. However, we find it more convenient to use parabolic cylinder functions which differ from his and hence we will rederive his results. We again consider the problem of evaluating the field on the surface of a hard parabolic cylinder due to an incident plane wave. For convenience we first consider the diffraction problem for an incident cylindrical wave and then obtain the plane wave result by a limiting procedure.

To formulate the diffraction problem we take the z axis of an (x,y,z) rectangular coordinate axis to be parallel to the generators of the parabolic cylinder. In the (x,y) plane we introduce parabolic coordinates (ξ,η) through

$$\begin{aligned} x &= \xi \eta \\ y &= \frac{1}{2}(\eta^2 - \xi^2) \end{aligned} \quad (1)$$

Here $\eta > 0$ and $-\infty < \xi < \infty$. The parabolic cylinder is defined by

$\eta = \text{constant} = \eta_0$. The line source is located at $y = 0$, $x = x_0$, i.e.,

$\xi = \eta = a = x_0^{1/2}$. The wave function $u(\xi, \eta)$ then satisfies the equation

$$u_{\xi\xi} + u_{\eta\eta} + k^2(\xi^2 + \eta^2)u = \delta(\xi-a)\delta(\eta-a) . \quad (2)$$

In addition u satisfies the boundary condition

$$u_{\eta}(a, \xi) = 0, \quad (3)$$

and the Sommerfeld radiation condition

$$\lim_{r \rightarrow \infty} r(iku - u_r) = 0 .$$

Now to find u we first note that the product $\phi(\xi)\psi(\eta)$ satisfies (2) with the delta functions replaced by zero if ϕ and ψ satisfy the ordinary differential equations

$$\psi'' - k^2(b^2 - \eta^2)\psi = 0 \quad (5)$$

$$\phi'' + k^2(b^2 + \xi^2)\phi = 0. \quad (6)$$

Here b is an arbitrary separation constant. We next note that for an infinite set b_n of values of b , there exist solutions of (5), $\psi_n(\eta)$, which are 'outgoing'[†] and for which

[†] Since the polar coordinate variable r is equal to $\xi^2 + \eta^2 / 2$ we take the outgoing condition on ψ to mean that as $\eta \rightarrow \infty$, $\psi \rightarrow Ae^{ik\eta^2/2}$. Here and in the following A will denote a generic amplitude function.

$$\psi_n'(a) = 0.$$

We next assume that the $\psi_n(\eta)$ are complete and express u as

$$u(\xi, \eta) = \sum_{n=0}^{\infty} \bar{\Phi}_n(\xi) \psi_n(\eta). \quad (7)$$

By exactly the same calculation as was carried out in reference [9] it is easy to show that

$$\int_{\eta_0}^{\infty} \psi_n(\eta) \psi_m(\eta) d\eta = -\delta_{nm} (2k^2 b_n)^{-1} \psi_n(\eta_0) \frac{\partial}{\partial b} \psi_n'(\eta_0). \quad (8)$$

Here δ_{nm} is the Kronecker delta and $\partial/\partial b \psi_n'(\eta_0)$ is the value of $\partial/\partial b \psi_n'(\eta)$ evaluated at $b = b_n$ and $\eta = \eta_0$. Thus upon substituting (7) into (2) multiplying by $\psi_n(\eta)$, integrating from η_0 to ∞ , and making use of (8) we find that $\bar{\Phi}_n$ satisfies

$$\bar{\Phi}_n'' + k^2(b^2 + \xi^2) \bar{\Phi}_n = \frac{-2k^2 b_n \psi_n(a)}{\psi_n(\eta_0) \partial/\partial b \psi_n'(\eta_0)} \delta(\xi - a). \quad (9)$$

To solve (9) we first characterize the solutions of (6) by means of their asymptotic expansions as $k \rightarrow \infty$. As $k \rightarrow \infty$ there exist solutions $\phi^{(1)}(\xi)$ and $\phi^{(2)}(\xi)$ having the following asymptotic expansions

$$\phi^{(1)}(\xi) \sim (b^2 + \xi^2)^{-1/4} \exp[ik \int_0^{\xi} (b^2 + \xi'^2)^{1/2} d\xi'] \quad (10)$$

$$\phi^{(2)}(\xi) \sim (b^2 + \xi^2)^{-1/4} \exp[-ik \int_0^\xi (b^2 + \xi^2)^{1/2} d\xi] . \quad (11)$$

A simple calculation shows that as $|\xi| \rightarrow \infty$

$$\phi^{(1)} \sim A \exp[ik\xi |\xi|/2] \quad (12)$$

$$\phi^{(2)} \sim A \exp[-ik\xi |\xi|/2] . \quad (13)$$

It is thus apparent that as $\xi \rightarrow \infty$, $\phi^{(1)}$ is the outgoing solution of (6), while as $\xi \rightarrow -\infty$, $\phi^{(2)}$ is the outgoing solution of (6). Since the variable ξ takes on both positive and negative values, we see that for $\xi > \xi_0$ the solution of (9) is proportional to $\phi^{(1)}(\xi)$, while for $\xi < \xi_0$ the solution of (9) is proportional to $\phi^{(2)}(\xi)$. These conditions together with the jump conditions imposed by the delta function allow a unique determination of $\bar{\Phi}_n(\xi)$. We then find that for $\xi < \xi_0$

$$u(\xi, \eta) = ik \sum_{n=0}^{\infty} b_n \psi_n(\eta) \phi_n^{(2)}(\xi) \frac{\phi_n^{(1)}(a) \psi_n(a)}{\psi_n(\eta_0) \partial/\partial b \psi_n(\eta_0)} . \quad (14)$$

Now to pass to plane wave excitation we multiply by

$$c = e^{3\pi i/4} 2^{3/2} \pi^{1/2} k^{1/2} a e^{-ika^2} \quad (15)$$

and let $a \rightarrow \infty$. In order to evaluate this limit we require the asymptotic expansion of the function $\psi_n(a)$. Using the methods of Olver^[13] as in Section II we find

$$\psi_n(\eta) \sim \zeta^{1/4} 3^{1/3} \pi^{-1} (b^2 - \eta^2)^{-1/4} A(3^{1/3} e^{-i\pi/3} k^{2/3} \zeta) \quad (16)$$

Here

$$\frac{2}{3} \zeta^{3/2} = \int_b^\eta (b^2 - \eta^2)^{1/2} d\eta. \quad (17)$$

When $\eta > b$, (16) becomes

$$\psi_n(\eta) \sim e^{i\pi/12} k^{-1/6} 2^{-1} \pi^{-1/2} (\eta^2 - b^2)^{-1/4} \exp\left[ik \int_b^\eta (\eta^2 - b^2)^{1/2} d\eta\right]. \quad (18)$$

Now a simple calculation shows that as $\eta \rightarrow \infty$

$$\int_b^\eta (\eta^2 - b^2)^{1/2} d\eta \sim -\frac{b^2}{2} \log \frac{2\eta}{b} + \frac{\eta^2}{2}. \quad (19)$$

Also as $\xi \rightarrow \infty$

$$\int_0^\xi (\xi^2 + b^2)^{1/2} d\xi \sim \frac{b^2}{2} \log \frac{2\xi}{b} + \frac{\xi^2}{2}. \quad (20)$$

Upon using (19) in (18) and (20) in (10) we find

$$\lim_{a \rightarrow \infty} c \phi_n^{(1)}(a) \psi_n(a) = 2^{1/2} k^{1/3} e^{5\pi i/6} \quad (21)$$

Thus for $\eta = \eta_0$ and for an incident plane wave (14) becomes

$$u(\xi, \eta_0) = k^{4/3} e^{4\pi i/3} 2^{1/2} \sum_{n=0}^{\infty} b_n \frac{\phi_n^{(2)}(\xi)}{\partial/\partial b \psi_n^{(1)}(\eta_0)} \quad (22)$$

To obtain the asymptotic expansion of (22) as $k \rightarrow \infty$ we proceed exactly as in the case of the elliptic cylinder. We first find the following three term asymptotic expansion of b_n from the condition that $\psi_n'(\eta_0) = 0$.

$$b_n = \eta_0 + \frac{\tau_n}{k^{2/3} \eta_0^{1/3}} - \frac{7}{30} \frac{\tau_n^2}{k^{4/3} \eta_0^{5/3}} - \frac{1}{20 \tau_n k^{4/3} \eta_0^{5/3}} + O(k^{-2}) \quad (23)$$

Then upon using (23) in (16) and (11) we find

$$\partial/\partial b \psi_n'(\eta_0) = \pi^{-1} e^{2i\pi/3} q_n A(q_n) 2^{1/2} \eta_0^{1/2} k^{4/3} + O(k^2) \quad (24)$$

$$\begin{aligned} \phi_n^{(2)}(\xi) &= (\eta_0^2 + \xi^2)^{-1/4} \exp \left[-ik \int_0^\xi (\eta_0^2 + \xi^2)^{1/2} d\xi - ik^{1/3} \tau_n \eta_0^{2/3} \right] \quad (25) \\ &\propto \int_0^\xi (\eta_0^2 + \xi^2)^{-1/2} d\xi - \frac{i \tau_n^2 \eta_0^{4/3}}{30 k^{1/3}} \int_0^\xi (\eta_0^2 + \xi^2)^{-3/2} \\ &\propto (8\xi^2/\eta_0^2 - 7) d\xi + \frac{1}{20 \tau_n k^{1/3} \eta_0^{2/3}} \int_0^\xi (\eta_0^2 + \xi^2)^{-1/2} d\xi \end{aligned}$$

Upon substituting (24), (25) and (23) into (22) we find

$$\begin{aligned}
 u(\xi, \eta_0) = & \pi \eta_0^{1/2} (\eta_0^2 + \xi^2)^{-1/4} \sum_{n=0}^{\infty} [q_n^A(q_n)]^{-1} \left\{ \exp \left[-ik \int_0^{\xi} (\eta_0^2 + \xi^2)^{1/2} d\xi \right. \right. \\
 & - ik^{1/3} \tau_n \eta_0^{2/3} \int_0^{\xi} (\eta_0^2 + \xi^2)^{-1/2} d\xi - \frac{\tau_n^2 \eta_0^{4/3}}{30 k^{1/3}} \int_0^{\xi} (\eta_0^2 + \xi^2)^{-3/2} \\
 & \left. \left. \times (8\xi^2/\eta_0^2 - 7) d\xi + \frac{1}{20 \tau_n k^{1/3} \eta_0^{2/3}} \int_0^{\xi} (\eta_0^2 + \xi^2)^{-1/2} d\xi \right] + O(k^{-2/3}) \right\}.
 \end{aligned}
 \quad (26)$$

In the case of the parabolic cylinder the incident rays are parallel to the x axis and the diffracted ray to the point (ξ, η_0) follows the path QP as shown in Figure 2.

Figure 1

A cross section of the elliptic cylinder showing the points Q_1 and Q_2 at which two incident rays are tangent to it. The incident field is a plane wave coming from the right. The tangent rays produce diffracted rays which travel distances t_1 and t_2 to a point P on the surface.

Figure 2

A cross section of the parabolic cylinder. The incident field is a plane wave coming from the right. The diffracted ray follows the parabolic path QP.

A simple calculation shows that the element of arclength along the parabola, ds , is given by

$$ds = (\xi^2 + \eta_o^2)^{1/2} |d\xi| . \quad (27)$$

Thus the first term in the exponent in (26) is ikt , since ξ is negative.

Similarly, we find that the radius of curvature of the parabola, b , is given by

$$b = \eta_o^{-1} (\eta_o^2 + \xi^2)^{3/2} \quad (28)$$

Upon using (27) and (28) a simple calculation shows that the exponent in (26) can be written as

$$\gamma_n \exp \left[ikt + \int_Q^P \beta_n ds \right] . \quad (29)$$

Here β_n and γ_n are defined by (31) and (32) of Section II. Upon applying the geometric theory of reference [5] to the present case it is easy to show that the geometric construction agrees with (26) to lowest order in k^{-1} .

Again we have in (26) higher order corrections to the diffraction coefficients $B_n^0(P)$ and the decay exponents β_n^0 as given by equations (34) and (35) of Section II. These corrections are identical with those given by equations (31) and (36) of Section II.

4. Integral equation method.

We will now derive the asymptotic expansion of each mode of the diffracted field on an arbitrary convex cylinder by a different method. In this method we begin with an integral equation and obtain a formal asymptotic solution of it. This asymptotic solution coincides with the expression for a mode given by the geometric theory of diffraction, with the corrected decay exponents and diffraction coefficients found in section 2. This independent derivation, which follows the procedure used by W. Franz and K. Depperman^[3] in the case of a circular cylinder, confirms our previous result.

We consider the two dimensional problem of finding a function $u(x,y)$ satisfying the following equations

$$(\nabla^2 + k^2)u = 0 \quad \text{in } D \quad (1)$$

$$\partial u / \partial n = 0 \quad \text{on } C \quad (2)$$

$$\lim_{r \rightarrow \infty} r^{1/2} \left(\frac{\partial u}{\partial r} - iku \right) = 0. \quad (3)$$

Here C is a given simple smooth convex curve with a piecewise continuous second derviative. If C is closed, D denotes its exterior. If C is open and extends to infinity, D denotes the non-convex portion of the plane, bounded by C .

From (1) - (3) it follows that on C , u satisfies the following integral equation

$$u(s) = - \frac{i}{2} \int_C u(s') \frac{1}{\partial n'} H_0^{(1)} [kr(s,s')] ds' \quad (4)$$

Here s denotes arclength along C measured from some fixed point, $u(s)$ is the value of u at the point s on C , $r(s,s')$ is the distance between the points s and s' , and the normal n' points into D .

If C is closed, the only single-valued solution of (4) is $u \equiv 0$. If C is open, presumably the only bounded solution is also $u \equiv 0$. Therefore if u is to represent a mode, it must be multi-valued in the former case, or unbounded in the latter case. Consequently we assume that on C a single mode u has the following asymptotic expansion for large values of k

$$u(s) \sim \exp \left[iks + \sum_{n=1}^{\infty} v_n(s) k^{-n/3} \right] . \quad (5)$$

The coefficients $v_n(s)$ are to be determined by requiring (5) to satisfy (4) asymptotically.

Before inserting (5) into (4), we note that for large values of k the function $\partial H_0^{(1)} [kr(s,s')] / \partial n'$ has the asymptotic expansion

$$\frac{\partial H_0^{(1)} [kr(s,s')]}{\partial n'} \sim \frac{\partial r}{\partial n'} \left(\frac{2k}{\pi r} \right)^{1/2} e^{i(kr + \pi/4)} \sum_{m=0}^{\infty} \frac{(-1)^m (0,m)}{(2ikr)^m} \left[1 - \frac{m+1/2}{ikr} \right] . \quad (6)$$

The symbol $(0,m)$ is defined by

$$(0,m) = \Gamma \left(\frac{1}{2} + m \right) / m! \Gamma \left(\frac{1}{2} - m \right) . \quad (7)$$

Now we insert (5) and (6) into (4) and then divide by the left hand side of the resulting equation. In this way we obtain the equation

$$1 \sim e^{-i\pi/4} (k/2\pi)^{1/2} \int_C \frac{\partial r}{\partial n'} r^{-1/2} \sum_{m=0}^{\infty} (-1)^m (0,m) (2ikr)^{-m} \left[1 - \frac{m+1/2}{ikr} \right] \quad (8)$$

$$\propto \exp[ik(r-s-s')] \exp \left[\sum_{n=-1}^{\infty} k^{-n/3} (v_n(s') - v_n(s)) \right] ds'.$$

In order to determine the $v_n(s)$ from (8) we first expand the integral in (8) asymptotically for large values of k . We perform this expansion by using the concept of stationary phase. The derivative of the phase of the integrand is $1 + dr/ds'$, which vanishes if $dr/ds' = -1$. This condition is satisfied only at $s' = s$, and then only if dr/ds' denotes the one sided derivative computed with $s' < s$. Thus to evaluate the integral we expand the integrand in the one sided neighborhood $s' < s$ of the point $s' = s$. For this purpose we use the following expansions which are derived in the appendix

$$r = \sum_{n=1}^{\infty} c_n(s) (s-s')^n \quad (9)$$

$$r^{-1/2} \partial r / \partial n' = - \frac{\kappa(s)}{2} (s-s')^{1/2} \sum_{n=0}^{\infty} \rho_n(s) (s-s')^n \quad (10)$$

$$\sum_{m=0}^{\infty} (-1)^m (0,m) (2ikr)^{-m} \left[1 - \frac{m+1/2}{ikr} \right] = \sum_{n=-\infty}^{\infty} \beta_n(s,k) (s-s')^n \quad (11)$$

Here $\kappa(s)$ denotes the curvature of C . The first few of the coefficients

c_n , ρ_n and β_n are listed in Table I.

We now insert (9) - (11) into (8), making use of the explicit values of ρ_0 , c_1 , c_2 and c_3 . We also expand $v_{-1}(s')$ in a power series about the point $s' = s$. Then (8) assumes the form

$$1 \sim e^{3\pi i/4} \kappa(s) (k/8\pi)^{1/2} \int_{-\infty}^s (s-s')^{1/2} \exp\left[-\frac{ik\kappa^2(s)}{24} (s-s')^3\right. \\ \left.- k^{1/3} \dot{v}_{-1}(s)(s-s')\right] F(k,s,s') ds' \quad (12)$$

The function $F(k,s,s')$ appearing in (12) is defined by

$$F(k,s,s') = \exp\left[ik \sum_{n=4}^{\infty} c_n(s)(s-s')^n + \sum_{n=-1}^{\infty} \sum_{m=1}^{\infty} k^{-n/3} \frac{v_n^{(m)}(s)(s'-s)^m}{m!}\right. \\ \left.- k^{1/3} \dot{v}_{-1}(s)(s'-s)\right] \sum_{n=0}^{\infty} \rho_n(s)(s-s')^n \sum_{n=-\infty}^{\infty} \beta_n(s,k)(s-s')^n. \quad (13)$$

In (13) $v_n^{(m)}(s)$ denotes the m -th derivative of $v_n(s)$.

To complete the asymptotic evaluation of the integral we introduce the new variable t by means of the definition

$$s-s' = e^{-i\pi/6} \left(\frac{24}{\kappa^2(s)k}\right)^{1/3} t \quad (14)$$

When (14) is used in (13), it shows that $F(k,s,s')$ has an expansion of the form

$$F(k, s, s') \sim 1 + \sum_{n=1}^{\infty} k^{-n/3} b_n(t, s). \quad (15)$$

We next define $\alpha(s)$ by the equation

$$\dot{v}_{-1}(s) = \alpha(s)(\kappa(s))^{2/3}(24)^{-1/3} e^{i\pi/6}. \quad (16)$$

Finally we insert (14) - (16) into (12), which becomes

$$1 \sim i(3/\pi)^{1/2} \int_0^{\infty} t^{1/2} e^{-\alpha t - t^3} (1 + \sum_{n=1}^{\infty} k^{-n/3} b_n(t, s)) dt. \quad (17)$$

Upon comparing coefficients of the various powers of k in the asymptotic form of the integral equation (17), we obtain the following set of equations

$$1 - i(3/\pi)^{1/2} \int_0^{\infty} t^{1/2} e^{-\alpha t - t^3} dt = 0 \quad (18)$$

$$\int_0^{\infty} t^{1/2} e^{-\alpha t - t^3} b_n(t, s) dt = 0, \quad n = 1, 2, \dots \quad (19)$$

From these equations we shall determine the coefficients $v_n(s)$.

W. Franz^[6] has shown that the left side of (18) can be rewritten in terms of the Airy function A defined in equation (11) of section 2. Thus (18) becomes

$$\frac{12}{\pi} e^{-i\pi/6} A' \left(-\frac{e^{i\pi/3}}{4^{1/3}} \alpha \right) A \left(-\frac{e^{-i\pi/3}}{4^{1/3}} \alpha \right) = 0 . \quad (20)$$

The appropriate value of α is determined by the vanishing of the A' factor in (20). If we denote by q_n the roots of the equation $A'(q_n)=0$, then the values α_n of α are given by

$$\alpha = \alpha_n = -e^{i\pi/3} 4^{1/3} q_n . \quad (21)$$

It will be useful to introduce the function $h(\alpha)$ defined by

$$h(\alpha) = \int_0^{\infty} t^{-1/2} e^{-\alpha t - t^3} dt . \quad (22)$$

Franz [6] has shown that

$$h(\alpha) = 4^{5/6} \sqrt{3/\pi} A \left(-\frac{e^{i\pi/3} \alpha}{4^{1/3}} \right) A \left(-\frac{e^{-i\pi/3} \alpha}{4^{1/3}} \right) , \quad (23)$$

and that h satisfies

$$h'''(\alpha) = -\frac{1}{6} h(\alpha) - \frac{\alpha}{3} h'(\alpha) . \quad (24)$$

To determine the consequences of (19) we must first compute the b_n . We shall calculate only b_1 and b_2 . To do so we substitute (14) and (16) into (13), expand the exponential functions and multiply together the resulting series in powers of $k^{-1/3}$. In this way we obtain

$$b_1 = e^{-i\pi/6} (24)^{1/3} \frac{\dot{k}}{k^{5/3}} \left\{ \left(\frac{-2}{3} - \dot{v}_0 \frac{\dot{k}}{k} \right) t + \frac{a}{3} t^2 + t^4 \right\} \quad (25)$$

$$b_2 = \frac{3e^{2i\pi/3} k^{2/3}}{8(24)^{1/3} t} - \frac{e^{-i\pi/6} (24)^{1/3}}{k^{2/3}} \dot{v}_1 t + e^{-i\pi/3} (24)^{2/3} \\ \times \left\{ \frac{t^2}{k^{4/3}} \left(\frac{\ddot{k}}{3k} - \frac{k^2}{48} + \frac{\dot{k}^2}{24k^2} \right) + \frac{2at^3}{3k^2} \left(-\frac{\ddot{k}}{6k^{1/3}} - \frac{13\dot{k}^2}{36k^{4/3}} \right) \right. \\ \left. + \frac{a^2 \dot{k}^2 t^4}{13k^{10/3}} + \frac{24t^5}{k^{10/3}} \left(-\frac{k\ddot{k}}{80} + \frac{k^4}{1920} - \frac{33\dot{k}^2}{720} \right) + \frac{a\dot{k}^2 t^6}{3k^{10/3}} + \frac{\dot{k}^2 t^8}{2k^{10/3}} \right\} . \quad (26)$$

When (25) is inserted into (19) an equation for $\dot{v}_0$ is obtained. This equation contains integrals of the form

$$\int_0^\infty t^{n-1/2} e^{-at-t^3} dt = (-1)^n h^{(n)}(a). \quad (27)$$

In (27) the integral has been expressed in terms of the n -th derivative of $h(a)$ which is defined by (22). Thus from (19) we find that the right hand side of (25) must vanish when t^n is replaced by $(-1)^{n+1} h^{(n+1)}(a)$. This yields

$$\left(\frac{-2}{3} - \dot{v}_0 \frac{\kappa}{\dot{\kappa}} \right) h''' - \frac{\alpha}{3} h''''(\alpha) - h^{(V)}(\alpha) = 0. \quad (28)$$

By using (24) we find that

$$h^{(IV)}(\alpha) = -\frac{1}{2} h' - \frac{\alpha}{3} h'' \quad (29)$$

$$h^{(V)}(\alpha) = \frac{\alpha}{18} h + \frac{\alpha^2}{9} h' - \frac{5}{6} h'' \quad (30)$$

When (24) and (30) are used in (28), the following expression for $\dot{v}_0$ results

$$\dot{v}_0 = \frac{1}{6} \frac{\dot{\kappa}}{\kappa}. \quad (31)$$

Upon integrating (31) we finally obtain for v_0 the expression

$$v_0 = \log \kappa^{1/6} + \delta. \quad (32)$$

Here δ is an integration constant.

The analysis of (19) for the case $n = 2$ proceeds in exactly the same way. In this case we obtain the condition that the right hand side of (26) vanishes when t^n is replaced by $(-1)^{n+1} h^{(n+1)}(\alpha)^\dagger$. In order to simplify the resulting expression we must express the sixth through ninth derivatives of h in terms of h , h' , and h'' . Upon doing this we find

[†] In order to avoid writing cumbersome equations we denote by b_2^* the right hand side of (26) with t^n replaced by $(-1)^{n+1} h^{(n+1)}(\alpha)$.

$$h^{(VI)} = \frac{7}{36} h + \frac{5\alpha}{9} h' + \frac{\alpha^2}{9} h'' \quad (33)$$

$$h^{(VII)} = -\frac{\alpha^2}{54} h - \frac{7}{4} h' - \frac{\alpha^3}{27} h'' + \frac{7}{9} \alpha h''' \quad (34)$$

$$h^{(VIII)} = -\frac{\alpha}{6} h - \frac{7}{18} \alpha^2 h' + \frac{55}{36} h'' - \frac{\alpha^3}{27} h''' \quad (35)$$

$$h^{(IX)} = \frac{\alpha^3}{162} h - \frac{91}{216} h' - \frac{157}{108} \alpha h'' + \frac{\alpha^4}{81} h''' - \frac{\alpha^2}{2} h^{(IV)} \quad (36)$$

We also note that

$$h'''(\alpha) = -\frac{\alpha}{6} h(\alpha). \quad (37)$$

This result follows upon differentiating (23) twice, then using the equation satisfied by $A(x)$

$$A'' + \frac{x}{3} A = 0, \quad (38)$$

and finally noting that when α is defined by (21)

$$A' \left(\frac{-e^{i\pi/3} \alpha}{4^{1/3}} \right) = 0. \quad (39)$$

We now insert the preceding relations for the derivatives of h , together with (31) and (37) into b_2^* . We then find that the coefficient of h' vanishes and that the equation $b_2^* = 0$ may be solved to yield

$$\begin{aligned} \dot{v}_1 = & 6(24)^{1/3} \kappa^{2/3} \alpha^{-1} e^{-i\pi/6} \left\{ \frac{\kappa^{2/3}}{64} - \frac{1}{6\kappa^{1/3}} \left(\frac{1}{3} \frac{\ddot{\kappa}}{\kappa} - \frac{1}{48} \kappa^2 + \frac{1}{24} \frac{\dot{\kappa}^2}{\kappa^2} \right) \right. \\ & + \frac{\alpha^3}{27\kappa^2} \left(\frac{\ddot{\kappa}}{6\kappa^{1/3}} + \frac{13}{36} \frac{\dot{\kappa}^2}{\kappa^{4/3}} \right) + \frac{7\alpha^3}{648} \frac{\dot{\kappa}^2}{\kappa^{10/3}} + \frac{24}{\kappa^{10/3}} \left(\frac{7}{36} - \frac{\alpha^3}{54} \right) \quad (40) \\ & \left. \times \left(\frac{\kappa\ddot{\kappa}}{80} - \frac{\kappa^4}{1920} + \frac{33}{720} \dot{\kappa}^2 \right) - \frac{4\alpha^3}{81} \frac{\dot{\kappa}^2}{\kappa^{10/3}} + \frac{1}{2} \frac{\dot{\kappa}^2}{\kappa^{10/3}} \left(\frac{29\alpha^3}{324} - \frac{91}{216} \right) \right\}. \end{aligned}$$

We next make use of (21) of this section and (21) of section 2 and set $\kappa^{-1} = b$ = the radius of curvature of C . Then a straightforward calculation shows that (40) may be written as

$$\begin{aligned} \dot{v}_1 = & \frac{i\tau_n^2}{30} \left(b^{-4/3} + \frac{16}{9} b^{-4/3} b_s^2 - \frac{8b^{-1/3}}{3} b_{ss} \right) \\ & - \frac{i}{20\tau_n} \left(2b^{-4/3} + \frac{2}{9} b^{-4/3} b_s^2 - \frac{b^{-1/3}}{3} b_{ss} \right). \quad (41) \end{aligned}$$

Let us now combine our results (16), (21), (32), and (41). By inserting them into (5) we obtain the asymptotic expansion of $u(s)$ on the cylinder C up to and including terms in $k^{-1/3}$.

$$\begin{aligned} u \sim & E b^{-1/6}(s) \exp \left[iks + i k^{1/3} \tau_n \int^s b^{-2/3}(s) ds \right. \\ & + \frac{ik^{-1/3}}{30} \tau_n^2 \int^s \left(b^{-4/3} + \frac{16}{9} b^{-4/3} b_s^2 - \frac{8b^{-1/3}}{3} b_{ss} \right) ds \quad (42) \\ & \left. - \frac{ik^{-1/3}}{20\tau_n} \int^s \left(2b^{-4/3} + \frac{2}{9} b^{-4/3} b_s^2 - \frac{b^{-1/3}}{3} b_{ss} \right) ds + \dots \right]. \end{aligned}$$

Here E denotes an arbitrary constant.

Let us now compare the result (42) with the expression for a mode given by the geometric theory of diffraction [5]. That theory yields for u a single term of the sum in (33) of section 2. Let us insert into that equation the improved decay exponents (31) and diffraction coefficients (36). Then we find that each term of (33) coincides with (42) provided that the product of the constant coefficients in (33) is equated to the constant E in (42). This agreement between the two methods of obtaining the improved decay exponents and diffraction coefficients again confirms the results of section 2. The method of the present section can also be modified to apply to soft cylinders, on which $u = 0$.

Appendix

In order to calculate the quantity $r(s, s')$ in the neighborhood of $s = s'$ we first observe that if $\vec{x}(s)$ is the position vector to the curve C , then

$$r^2 = \left(\vec{x}(s) - \vec{x}(s') \right)^2. \quad (1)$$

By Taylor's theorem

$$\vec{x}(s') - \vec{x}(s) = \sum_{n=1}^{\infty} (s' - s)^n \frac{\vec{x}^{(n)}(s)}{n!}. \quad (2)$$

Thus, upon taking the dot product of (2) with itself we find

$$r^2 = \sum_{\rho=2}^{\infty} (s' - s)^{\rho} b_{\rho}. \quad (3)$$

Here

$$b_{\rho} = \sum_{n=1}^{\rho-1} \frac{\vec{x}^{(n)}(s) \cdot \vec{x}^{(\rho-n)}(s)}{n! (\rho-n)!}. \quad (4)$$

Since s is arclength along C we have

$$\vec{x}(s) \cdot \vec{x}(s) = 1, \quad (5)$$

and

$$\vec{\ddot{x}}(s) \cdot \vec{x}(s) = 0. \quad (6)$$

From the Frenet equations of differential geometry we have

$$\ddot{\vec{x}}(s) = \dot{\kappa} \vec{\kappa}^{-1} \dot{\vec{x}} - \kappa^2 \dot{\vec{x}} \quad (7)$$

Upon using (5), (6), and (7) recursively to obtain the higher derivatives of $\dot{\vec{x}}(s)$ in terms of $\dot{\vec{x}}(s)$ and $\vec{x}(s)$ we see that b_ρ can be expressed in terms of κ and its derivatives. In this way we find

$$b_2 = 1; \quad b_3 = 0; \quad b_4 = -\frac{\kappa^2}{12}; \quad b_5 = -\frac{\kappa \dot{\kappa}}{12}; \quad b_6 = -\frac{1}{45} \dot{\kappa}^2 - \frac{1}{40} \kappa \ddot{\kappa} + \frac{\kappa^4}{360} \quad (8)$$

Then upon taking the square root of the right hand side of (3) we find

$$r = \sum_{n=1}^{\infty} c_n (s-s')^n \quad (9)$$

Here

$$c_1 = b_2; \quad c_2 = b_3; \quad c_3 = \frac{b_4}{2}; \quad c_4 = \frac{-b_5}{2}; \quad c_5 = \left(\frac{b_6}{2} - \frac{b_4^2}{8} \right) \quad (10)$$

From (8) and (10) the entries for c_n in Table I are obtained.

In order to calculate $r^{-1/2} \partial r / \partial n'$ we note that the unit normal to C at s' is $\kappa^{-1}(s') \ddot{\vec{x}}(s') = \vec{v}_2(s')$ and hence

$$\frac{\partial r}{\partial n} = \nabla(\vec{r}) \cdot \vec{v}_2(s') = \frac{\vec{r} \cdot \vec{v}_2(s')}{r} \quad (11)$$

Thus by making use of (2) and the Taylor expansion of $\vec{v}_2(s')$ about $s = s'$ we obtain

$$r \frac{\partial r}{\partial n'} = \sum_{\rho=1}^{\infty} (s' - s)^{\rho} f_{\rho} . \quad (12)$$

Here

$$f_{\rho} = \sum_{k=1}^{\rho} \frac{x^{(k)}(s) \cdot v_2^{(\rho-k)}(s)}{k! (\rho-k)!} . \quad (13)$$

Again upon using the Frenet equations recursively the coefficients f_{ρ} may be easily evaluated to obtain

$$f_1 = 0; \quad f_2 = -\frac{\kappa}{2}; \quad f_3 = -\frac{\dot{\kappa}}{3}; \quad f_4 = -\frac{\ddot{\kappa}}{8} + \frac{\kappa^3}{24} . \quad (14)$$

Now by applying the binomial theorem to (3) we find

$$r^{-3/2} = (s - s')^{-3/2} (b_2 - \frac{3}{4} b_4 (s-s')^2 + \frac{3}{4} b_5 (s-s')^3 + \dots) . \quad (15)$$

Thus upon multiplying (15) and (12) we find

$$r^{-1/2} \frac{\partial r}{\partial n'} = -\frac{\kappa(s)}{2} (s-s')^{1/2} \sum_{n=0}^{\infty} \rho_n(s) (s-s')^n , \quad (16)$$

where

$$\rho_0 = 1; \quad \rho_1 = \frac{2f_3}{\kappa}; \quad \rho_2 = \frac{2f_4}{\kappa} - \frac{3}{4} b_4 . \quad (17)$$

Thus from (8), (14), and (17) we obtain the values of ρ_n given in Table I.

Upon using (9) and the values of $(0, m)$ given in section 4 it is a simple matter to calculate the values of β_0 and β_1 as given in Table I and to conclude that $\beta_n (s-s')^n = O(k^{-2/3})$ for $n \neq 0, -1$ and $s-s' = O(k^{-1/3})$.

Table I

n	β_n	ρ_n	c_n
-1	$31/8k$		
0	1	1	
1	-	$-\frac{2}{3} \frac{\dot{\kappa}}{\kappa}$	1
2	-	$\frac{\ddot{\kappa}}{4\kappa} - \frac{\kappa^2}{12} + \frac{\kappa^2}{16}$	0
3	-	-	$-\frac{\kappa^2}{24}$
4	-	-	$\frac{\kappa\dot{\kappa}}{24}$
5	-	-	$-\frac{\dot{\kappa}^2}{90} - \frac{\kappa\ddot{\kappa}}{80} + \frac{\kappa^4}{1920}$

References

- [1] Watson, G. N. 'The diffraction of electric waves by the earth and the transmission of electric waves around the earth', Proc. Roy. Soc. (London), Vol. A95, pp. 83-99, Oct. 1918, pp. 546-563, July 1919.
- [2] Bremmer, H. 'Terrestrial Radio Waves', Elsevier Publishing Co., New York. N.Y.
- [3] Franz, W. and Depperman, K. 'Theorie der Beugung am Zylinder unter Berücksichtigung der Kriechwelle', Ann. der Phys., Vol. 10, No. 6, pp. 361-373, 1952.
- [4] Keller, J. B. 'A geometric theory of diffraction', Calculus of Variations and its Applications, Proc. of Symposia in Applied Math., Vol. VIII, pp. 27-52, McGraw-Hill, New York, N.Y., 1958.
- [5] Keller, J. B. 'Diffraction by a convex cylinder', I.R.E. Trans. on Ant. and Prop., Symp. on Electromagnetic Wave Theory, Vol. AP-4, pp. 312-321, July 1956.
- [6] Franz, W. 'Über die Greenschen Funktionen des Zylinders und der Kugel', Zeit. für Naturf., Vol. 9a, pp. 705-716, 1954.
- [7] Levy, B. R., and Keller, J.B. 'Diffraction by a smooth object', Comm. Pure and Appl. Math., 12, No. 1, 159-209, 1959.
- [8] Rice, S. O., 'Diffraction of plane radio waves by a parabolic cylinder', Bell Sys. Tech. J., Vol. 33, pp. 417-502, March 1954.
- [9] Levy, B.R. 'Diffraction by an elliptic cylinder', New York Univer., Inst. of Math. Sci., Div. of EM Res., Res. Report No. EM-121, (1958).
- [10] Kazarinoff, N. D. and Ritt, R. K. 'Scalar Diffraction by an elliptic cylinder', Univer. of Michigan, Res. Inst., Scientific report.

- [11] Levy, B. R. and Keller, J. B. 'Diffraction by a spheroid', New York Univer., Inst. of Math. Sci., Div. of EM Res., Res. Report No. EM-130(1959
- [12] Ritt, R. K. and Kazarinoff, N. D. 'Studies in radar cross sections XXX, The theory of scalar diffraction with application to the prolate spheroid', Univer. of Michigan Res. Inst., Scientific Report No. 4, 1958.
- [13] Olver, F. W. J. 'The asymptotic solution of linear differential equations of the second order for large values of a parameter', Phil. Trans. Roy. Soc. of London, Series A, 247, pp. 307-368(1954).

DISTRIBUTION LIST FOR RESEARCH REPORTS

Contract No. AF 19(604)5238

(ONE copy unless otherwise noted)

Commander Air Research and Development Command Andrews Air Force Base Washington 25, D. C. Attn: Major E. Wright, RDTCC	Director Evans Signal Laboratory Belmar, New Jersey Attn: Mr. O. C. Woodyard	(5) Hq. Air Force Cambridge Research Center Laurence G. Hanscom Field Bedford, Mass. Attn: CRRD
Director of Resident Training 3380th Technical Training Group Keesler Air Force Base, Mississippi Attn: OA-3011 Course	U. S. Army Signal Engineering Labs. Evans Signal Laboratory Belmar, New Jersey Attn: Technical Document Center	Director, Avionics Division (AV) Bureau of Aeronautics Department of the Navy Washington 25, D. C.
Director Air University Library Maxwell Air Force Base, Alabama	Massachusetts Institute of Technology Signal Corps Liaison Officer Cambridge 39, Mass. Attn: A. D. Hedrosian, Room 26-131	Chief, Bureau of Ships Department of the Navy Washington 25, D. C. Attn: Mr. E. Johnston, Code 833E
Commander Air Force Missile Test Center Patrick Air Force Base, Florida Attn: MTS - for classified documents Attn: MU-111, Technical Library - for unclassified documents	Commanding General, SIGFM/EL-PC U. S. Army Signal Engineering Labs. Fort Monmouth, New Jersey Attn: Dr. Horat H. Kedeady Deputy Chief, Chem-Physics Branch	Commander U. S. Naval Air Missile Test Center Point Mugu, California Attn: Code 366
Tactical Air Group Directorate of Research and Development DCS/D	Commander Army Rocket and Guided Missile Agency Redstone Arsenal, Alabama Attn: Technical Library, ORDXR-OTL	U. S. Naval Ordnance Laboratory White Oak Silver Spring 19, Maryland Attn: The Library
Headquarters, USAF Washington, D. C. Attn: Major R. L. Stell	Commanding General U. S. Army Signal Engineering Labs. Fort Monmouth, New Jersey Attn: SIGFM/EL-AT	Commander U. S. Naval Ordnance Test Station China Lake, California Attn: Code 753
Director, Communications and Electronics Hq. U. S. Air Force Washington 25, D. C. Attn: APOAC S/E	Department of the Army Office of the Chief Signal Officer Washington 25, D. C. Attn: SIGRD-7	Librarian U. S. Naval Postgraduate School Monterey, California
Commander Wright Air Development Center Wright-Patterson Air Force Base, Ohio Attn: WCLRS-6, Mr. Fortune	Office of Chief Signal Officer Engineering and Technical Division Washington 25, D. C. Attn: SIGMET-5	Air Force Development Field Representative Naval Research Laboratory Washington 25, D. C. Attn: Code 1072
Wright Air Development Center Wright-Patterson Air Force Base, Ohio Flight Research Laboratory Research Division Attn: WCRRA	Guided Missile Fuze Library Diamond Ordnance Fuze Laboratories Washington 25, D. C. Attn: R. D. Hatcher, Chief Microwave Development Section	Director U. S. Naval Research Laboratory Washington 25, D. C. Attn: Code 2027
Commander Wright Air Development Center Wright-Patterson Air Force Base, Ohio Attn: N. Draganjac, WCLNQ-4	(10) Armed Services Technical Information Agency Arlington Hall Station Arlington 12, Virginia	Dr. J. I. Bohnert, Code 5210 U. S. Naval Research Laboratory Washington 25, D. C. (Unclassified only) Classified to be sent to: Director U. S. Naval Research Laboratory Attn: Code 5200 Washington 25, D. C.
Commander Wright Air Development Center Wright-Patterson Air Force Base, Ohio Attn: Mr. Paul Springer, WCLRS-5	(2) Library Boulder Laboratories National Bureau of Standards Boulder, Colorado	Commanding Officer and Director U. S. Navy Underwater Sound Laboratory Fort Trumbull, New London, Connecticut
Commander Air Technical Intelligence Center Wright-Patterson Air Force Base, Ohio Attn: ARCIN-LBia	National Bureau of Standards Department of Commerce Washington 25, D. C. Attn: Mr. A. G. McIlish	Chief of Naval Research Department of the Navy Washington 25, D. C. Attn: Code h27
Commander Rome Air Development Center Oriffliss Air Force Base, New York Attn: RCSSTL-1	National Bureau of Standards Department of Commerce Washington 25, D. C. Attn: Gustave Shapiro, Chief Engineering Electronics Section Electricity and Electronics Div.	Commanding Officer and Director U. S. Navy Electronics Laboratory (Library) San Diego 52, California
Commander Rome Air Development Center Oriffliss Air Force Base, New York Attn: Mr. Donald Dakan, RCUE	(2) Office of Technical Services Department of Commerce Washington 25, D. C. Attn: Technical Reports Section (Unclassified only)	Chief, Bureau of Ordnance Department of the Navy Washington 25, D. C. Attn: Code Ad3
Commander Rome Air Development Center (ARDC) Oriffliss Air Force Base, New York Attn: Dr. John S. Burgess, RCE	Director National Security Agency Washington 25, D. C. Attn: R/D (331)	Chief, Bureau of Ordnance Department of the Navy Washington 25, D. C. Attn: Fire Control Branch (ReSL)
Commander Air Force Missile Development Center Holloman Air Force Base, New Mexico Attn: HDOIL, Technical Library	(2) Hq. Air Force Cambridge Research Center Laurence G. Hanscom Field Bedford, Mass. Attn: CROTLR-2 - P. Condon	Department of the Navy Bureau of Aeronautics Technical Data Division, Code 4106 Washington 25, D. C.
Director U. S. Army Ordnance Ballistic Research Laboratories Aberdeen Proving Ground, Maryland Attn: Ballistic Measurements Laboratory	(5) Hq. Air Force Cambridge Research Center Laurence G. Hanscom Field Bedford, Mass. Attn: CROTLR - J. Armstrong	Chief, Bureau of Ships Department of the Navy Washington 25, D. C. Attn: Code 8178
Ballistic Research Laboratories Aberdeen Proving Ground, Maryland Attn: Technical Information Branch		

Commanding Officer
U. S. Naval Air Development Center
Johnsville, Pennsylvania
Attn: NADC Library

Commander
U. S. Naval Air Test Center
Patuxent River, Maryland
Attn: ET-315, Antenna Branch

Director
Naval Ordnance Laboratory
Corona, California

Commanding Officer
U. S. Naval Ordnance Laboratory
Corona, California
Attn: Mr. W. Horenstein, Division 72

Airborne Instruments Laboratory, Inc.
160 Old Country Road
Mineola, New York
Attn: Dr. E. G. Fubini, Director
Research and Engineering Division

Aircorn, Inc.
354 Main Street
Winthrop, Mass.

American Machine and Foundry Company
Electronics Division
1085 Commonwealth Avenue
Boston 15, Mass.
Attn: Mrs. Rita Moravcsik, Librarian

Andrew Alfrod, Consulting Engineers
299 Atlantic Avenue
Boston 10, Mass.

Avion Division
ACF Industries, Inc.
800 No. Pitt Street
Alexandria, Virginia
Attn: Library

Battelle Memorial Institute
505 King Avenue
Attn: Wayne E. Rife, Project Leader
Electrical Engineering Division
Columbus 1, Ohio

Bell Aircraft Corporation
Post Office Box One
Buffalo 5, New York
Attn: Eunice P. Hazelton, Librarian

Bell Telephone Laboratories, Inc.
Whippany Laboratory
Whippany, New Jersey
Attn: Technical Information Library

Pacific Division
Bendix Aviation Corporation
11600 Sherman Way
North Hollywood, California
Engineering Library
Attn: Peggie Robinson, Librarian

Bendix Radio Division
Bendix Aviation Corp.
E. Joppa Road
Towson 4, Maryland
Attn: Dr. D. M. Allison, Jr.
Director Engineering and Research

Boeing Airplane Company
Pilotless Aircraft Division
P.O. Box 3707
Seattle 24, Washington
Attn: R.R. Barber, Library Supervisor

Boeing Airplane Company
Wichita Division Engineering Library
Wichita 1, Kansas
Attn: Kenneth C. Knight, Librarian

Boeing Airplane Company
Seattle Division
Seattle 14, Washington
Attn: E.T. Allen, Library Supervisor

Bjorkstrom Research Labs, Inc.
P. O. Box 265
Madison, Wisconsin
Attn: Mrs. Fern B. Korsgard

Convair, A Division of General Dynamics
Corp.
Fort Worth, Texas
Attn: K.O. Brown, Division Research
Librarian

Convair, A Division of General Dynamics
Corp.
San Diego 12, California
Attn: Mrs. Dora B. Burke,
Engineering Librarian

Cornell Aeronautical Laboratory, Inc.
4455 Genesee Street
Buffalo 21, New York
Attn: Librarian

Delmo Victor Company
A Division of Textron, Inc.
1515 Industrial Way
Belmont, California
Attn: Mary Ellen Addens,
Technical Librarian

Dorne and Margolin, Inc.
29 New York Avenue
Westbury, Long Island, N. Y.

Douglas Aircraft Company, Inc.
P.O. Box 200
Long Beach 1, California
Attn: Engineering Library (C-250)

Douglas Aircraft Co., Inc.
827 Lapham Street
El Segundo, California
Attn: Engineering Library

Douglas Aircraft Company, Inc.
3000 Ocean Park Boulevard
Santa Monica, California
Attn: P.T. Cline
Eq. Sec. Reference Files,
Eq. Eng. A250

Douglas Aircraft Company, Inc.
2000 North Memorial Drive
Tulsa, Oklahoma
Attn: Engineering Library, D-250

Electronics Communication, Inc.
1830 York Road
Timonium, Maryland

Emerson and Cuming, Inc.
169 Washington Street
Canton, Mass.
Attn: Mr. W. Cuming

Emerson Electric Mfg. Co.
8100 West Florissant Avenue
St. Louis 21, Missouri
Attn: Mr. E.R. Breslin, Librarian

Sylvania Elec. Prod. Inc.
Electronic Defense Laboratory
P.O. Box 205 - (Uncl)
Mountain View, California
Attn: Library

Fairchild Aircraft Division
Fairchild Eng. and Airplane Corp.
Hagerstown, Maryland
Attn: Library

Farnsworth Electronics Company
3700 East Pontiac Street
Fort Wayne 1, Indiana
Attn: Technical Library

Federal Telecommunication Labs.
500 Washington Avenue
Nutley 10, New Jersey
Attn: Technical Library

The Gabriel Electronics
Division of the Gabriel Company
135 Crescent Road
Needham Heights 24, Mass.
Attn: Mr. Steven Galagan

General Electric Advanced Electronics Center
Cornell University
Ithaca, New York
Attn: J. B. Travis

General Electric Company
Electronics Park
Syracuse, New York
Attn: Documents Library, B. Fletcher
Building 3-143A

General Precision Laboratory, Inc.
63 Bedford Road
Pleasantville, New York
Attn: Mrs. Mary G. Herbst, Librarian

Goodvear Aircraft Corp.
1210 Massillon Road
Akron 15, Ohio
Attn: Library D/120 Plant A

Granger Associates
Electronic Systems
966 Commercial Street
Palo Alto, California
Attn: John V. N. Granger, President

Gruman Aircraft Engineering Corporation
Bethpage, Long Island, N. Y.
Attn: Mrs. A. M. Gray, Librarian
Engineering Library, Plant No. 5

The Hallicrafters Company
4401 West 5th Avenue
Chicago 24, Illinois
Attn: LaVerne Ladlois, Librarian

Hoffman Laboratories, Inc.
3761 South Hill Street
Los Angeles 7, California
Attn: Engineering Library

Hughes Aircraft Company
Antenna Department
Microwave Laboratory
Building 12, Room 2617
Culver City, California
Attn: M. D. Adcock

Hughes Aircraft Company
Florence and Teale Streets
Culver City, California
Attn: Dr. L.C. Van Atta, Associate Director
Research Labs.

Hycon Eastern, Inc.
75 Cambridge Parkway
Cambridge, Mass.
Attn: Mrs. Lois Seulowitz
Technical Librarian

International Business Machines Corp.
Military Products Division
590 Madison Avenue
New York 33, New York
Attn: Mr. C.F. McElwain, General Manager

International Business Machines Corp.
Military Products Division
Owego, New York
Attn: Mr. D. I. Marr, Librarian
Department 459

International Resistance Company
401 N. Broad Street
Philadelphia 8, Pa.
Attn: Research Library

Jansky and Bailey, Inc.
1339 Wisconsin Avenue, N. W.
Washington 7, D. C.
Attn: Mr. Delmer C. Porta

Dr. Henry Jasik, Consulting Engineer
298 Shames Drive
Brush Hollow Industrial Park
Westbury, New York

Electromagnetic Research Corporation
711 11th Street, N. W.
Washington 5, D. C.

Lockheed Aircraft Corporation
2555 N. Hollywood Way
California Division Engineering Library
Department 72-75, Plant A-1, Bldg. 63-1
Burbank, California
Attn: N. C. Harnois

The Martin Company
P. O. Box 179
Denver 1, Colorado
Attn: Mr. Jack McCormick

The Glenn L. Martin Company
Baltimore 3, Maryland
Attn: Engineering Library
Antenna Design Group

Maryland Electronic Manufacturing Corp.
5009 Calvert Road
College Park, Maryland
Attn: Mr. H. Warren Cooper

Mathematical Reviews
190 Hope Street
Providence 6, Rhode Island

The W. L. Messen Corporation
460 West 34th Street
New York, N. Y.
Attn: Miss Dorothy Clark

McDonnell Aircraft Corporation
Lambert Saint-Louis Municipal Airport
Box 516, St. Louis 3, Missouri
Attn: R. D. Detrich, Engineering Library

McMillan Laboratory, Inc.
Brownville Avenue
Ipswich, Massachusetts
Attn: Security Officer, Document Room

Melpar, Inc. (2)
3000 Arlington Boulevard
Falls Church, Virginia
Attn: Engineering Technical Library

Microwave Development Laboratory
90 Broad Street
Babson Park 57, Massachusetts
Attn: N. Tucker, General Manager

Microwave Radiation Company Inc.
1923 South Hamilton Street
Gardena, California
Attn: Mr. Morris J. Ehrlich, President

Chance Vought Aircraft, Inc.
931h West Jefferson Street
Dallas, Texas
Attn: Mr. H. S. White, Librarian

Northrop Aircraft, Inc.
Hawthorne, California
Attn: Mr. E. A. Freitas, Library Dept 31h5
1001 E. Broadway

Remington Rand Univ. - Division of Sperry
Rand Corporation
1900 West Allegheny Avenue
Philadelphia 29, Pennsylvania
Attn: Mr. John F. McCarthy
R and D Sales and Contracts

North American Aviation, Inc.
1221h Lakewood Boulevard
Downey, California
Attn: Engineering Library h95-115

North American Aviation, Inc.
Los Angeles International Airport
Los Angeles 45, California
Attn: Engineering Technical File

Page Communications Engineers, Inc.
710 Fourteenth Street, Northwest
Washington 5, D. C.
Attn: Librarian

Philco Corporation Research Division
Branch Library
4700 Wissachickon Avenue
Philadelphia 44, Pa.
Attn: Mrs. Dorothy S. Collins

Pickard and Burns, Inc.
240 Highland Avenue
Needham 9h, Mass.
Attn: Dr. J. T. DeBettencourt

Polytechnic Research and Development
Company, Inc.
202 Tillary Street
Brooklyn 1, New York
Attn: Technical Library

Radiation Engineering Laboratory
Main Street
Maynard, Mass.
Attn: Dr. John Ruze

Radiation, Inc.
P. O. Drawer 37
Melbourne, Florida
Attn: Technical Library, Mr. M. L. Cox

Radio Corp. of America
RCA Laboratories
Rocky Point, New York
Attn: P. S. Carter, Lab. Library

RCA Laboratories
David Sarnoff Research Center
Princeton, New Jersey
Attn: Miss Fern Cloak, Librarian
Research Library

Radio Corporation of America
Defense Electronic Products
Building 10, Floor 7
Garden 2, New Jersey
Attn: Mr. Harold J. Schrader
Staff Engineer, Organization
of Chief Technical
Administrator

The Ramo-Woolridge Corporation
P.O. Box h5h53 Airport Station
Los Angeles 45, California
Attn: Margaret C. Whitnah,
Chief Librarian

Roover Microwave Co.
9592 Baltimore Avenue
College Park, Maryland

Director, USAF Project RAND
Via: Air Force Liaison Office
The Rand Corporation
1700 Main Street
Santa Monica, California

Rantec Corporation
Calabasas, California
Attn: Grace Keener, Office Manager

Raytheon Manufacturing Company
Missile Systems Division
Bedford, Mass.
Attn: Mr. Irving Goldstein

Raytheon Manufacturing Company
Wayland Laboratory, State Road
Wayland, Mass.
Attn: Mr. Robert Borts

Raytheon Manufacturing Company
Wayland Laboratory
Wayland, Mass.
Attn: Miss Alice G. Anderson,
Librarian

Republic Aviation Corporation
Farmingdale, Long Island, N. Y.
Attn: Engineering Library

Thru: Air Force Plant Representative
Republic Aviation Corp.
Farmingdale, Long Island, N.Y.

Rheem Manufacturing Company
9236 East Hall Road
Downey, California
Attn: J. C. Joergler

Trans-Tech, Inc.
P. O. Box 346
Frederick, Maryland

Ryan Aeronautical Company
Lindbergh Field
San Diego 12, California
Attn: Library - unclassified

Saga Laboratories
159 Linden Street
Wellesley 81, Mass.

Sanlers Associates
95 Canal Street
Nashua, New Hampshire
Attn: N. R. Wild, Librarian

Sandia Corporation, Sandia Base
P.O. Box 5800, Albuquerque, New Mexico
Attn: Classified Document Division

Sperry Gyroscopic Company
Great Neck, Long Island, New York
Attn: Florence W. Turnbull, Engr. Librarian

Stanford Research Institute
Menlo Park, California
Attn: Library, Engineering Division

Sylvania Electric Products, Inc.
100 First Avenue
Waltham 5h, Mass.
Attn: Charles A. Thornhill, Report Librarian
Waltham Laboratories Library

Systems Laboratories Corporation
1452 Ventura Boulevard
Sherman Oaks, California
Attn: Donald L. Margerum

TRO, Inc.
17 Union Square West
New York 3, N. Y.
Attn: M. L. Henderson, Librarian

A. S. Thomas, Inc.
161 Devonshire Street
Boston 10, Mass.
Attn: A. S. Thomas, President

Bell Telephone Laboratories
Murray Hill
New Jersey

Chu Associates
P. O. Box 377
Whitcomb Avenue
Littleton, Mass.

Microwave Associates, Inc.
Burlington, Mass.

Raytheon Manufacturing Company
Missile Division
Hartwell Road
Bedford, Mass.

Radio Corporation of America
Aviation Systems Laboratory
225 Crescent Street
Waltham, Mass.

Lockheed Aircraft Corporation
Missile Systems Division Research Library
Box 50h, Sunnyvale, California
Attn: Miss Eva Lou Robertson,
Chief Librarian

The Rand Corporation
1700 Main Street
Santa Monica, California
Attn: Dr. W. C. Hoffman

Commanair
AF Office of Scientific Research
Air Research and Development Command
11th Street and Constitution Avenue
Washington, D. C.
Attn: Mr. Otting, SRY

Westinghouse Electric Corp.
Electronics Division
Friendship Int'l Airport Box 746
Baltimore 3, Maryland
Attn: Engineering Library

Wheeler Laboratories, Inc.
122 Cutter Mill Road
Great Neck, New York
Attn: Mr. Harold A. Wheeler

Zenith Plastics Co.
Box 91
Gardena, California
Attn: Mr. S. S. Oleasky

Library Geophysical Institute
of the University of Alaska
College
Alaska

University of California
Berkeley 4, California
Attn: Dr. Samuel Silver,
Prof. Engineering Science
Division of Elec. Eng. Electronics
Research Lab.

University of California
Electronics Research Lab.
332 Cory Hall
Berkeley 4, California
Attn: J. R. Whinnery

California Institute of Technology
Jet Propulsion Laboratory
4800 Oak Grove Drive
Pasadena, California
Attn: Mr. I. E. Newlan

California Institute of Technology
1201 E. California Street
Pasadena, California
Attn: Dr. C. Papas

Cernegie Institute of Technology,
Schenley Park
Pittsburgh 13, Pennsylvania
Attn: Prof. A. E. Heins

Cornell University
School of Electrical Engineering
Ithaca, New York
Attn: Prof. G. C. Delman

University of Florida
Department of Electrical Engineering
Gainesville, Florida
Attn: Prof. M. H. Latour, Librarian

Library
Georgia Institute of Technology
Engineering Experiment Station
Atlanta, Georgia
Attn: Mrs. J. H. Grosland, Librarian

Harvard University
Technical Reports Collection
Gordon McKay Library, 303A Pierce Hall
Oxford Street, Cambridge 38, Mass.
Attn: Mrs. E. L. Hufschmidt, Librarian

Harvard College Observatory
60 Garden Street
Cambridge 38, Mass.
Attn: Dr. Fred L. Whipple

University of Illinois
Documents Division Library
Urbana, Illinois

University of Illinois
College of Engineering
Urbana, Illinois
Attn: Dr. P. E. Moyes, Department of
Electrical Engineering

The Johns Hopkins University
Homewood Campus
Department of Physics
Baltimore 18, Maryland
Attn: Dr. Donald E. Kerr

Sandia Corporation
Attn: Organization 1423
Sandia Base
Albuquerque, New Mexico

Applied Physics Laboratory
The Johns Hopkins University
8621 Georgia Avenue
Silver Spring, Maryland
Attn: Mr. George L. Seiselsat

Massachusetts Institute of Technology
Research Laboratory of Electronics
Room 20B-221
Cambridge 39, Massachusetts
Attn: John H. Hewitt

Massachusetts Institute of Technology
Lincoln Laboratory
P. O. Box 73
Lexington 73, Mass.
Attn: Document Room A-229

University of Michigan
Electronic Defense Group
Engineering Research Institute
Ann Arbor, Michigan
Attn: J. A. Boyd, Supervisor

University of Michigan
Engineering Research Institute
Radiation Laboratory
Attn: Prof. K. M. Siegel
912 N. Main St.,
Ann Arbor, Michigan

University of Michigan
Engineering Research Institute
Willow Run Laboratories
Willow Run Airport
Ypsilanti, Michigan
Attn: Librarian

University of Minnesota
Minneapolis 14, Minnesota
Attn: Mr. Robert H. Stumm, Librarian

Northwestern University
Microwave Laboratories
Evanston, Illinois
Attn: R. E. Beam

Ohio State University Research Found.
Ohio State University
Columbus 10, Ohio
Attn: Dr. T. E. Tice
Dept. of Elec. Engineering

The University of Oklahoma
Research Institute
Norman, Oklahoma
Attn: Prof. C. L. Farrar, Chairman
Electrical Engineering

Polytechnic Institute of Brooklyn
Microwave Research Institute
55 Johnson Street
Brooklyn, New York
Attn: Dr. Arthur A. Oliner

Polytechnic Institute of Brooklyn
Microwave Research Institute
55 Johnson Street
Brooklyn, New York
Attn: Mr. A. E. Laemmel

Syracuse University Research Institute
Cortland Campus
Syracuse 10, New York
Attn: Dr. C. S. Grove, Jr.
Director of Engineering Research

The University of Texas
Elec. Engineering Research Laboratory
P. O. Box 8026, University Station
Austin 12, Texas
Attn: Mr. John R. Gerhardt
Assistant Director

The University of Texas
Defense Research Laboratory
Austin, Texas
Attn: Claude W. Horton, Physics Librarian

University of Toronto
Department of Electrical Engineering
Toronto, Canada
Attn: Prof. G. Sinclair

Lowell Technological Institute
Research Foundation
P. O. Box 709, Lowell, Mass.
Attn: Dr. Charles R. Mingsins

University of Washington
Department of Electrical Engineering
Seattle 5, Washington
Attn: C. Held, Associate Professor

Stanford University
Stanford, California
Attn: Dr. Chodorow
Microwave Laboratory

Physical Science Laboratory
New Mexico College of Agriculture
and Mechanic Arts
State College, New Mexico
Attn: Mr. H. W. Haas

Brown University
Department of Electrical Engineering
Providence, Rhode Island
Attn: Dr. C. M. Angulo

Case Institute of Technology
Cleveland, Ohio
Attn: Prof. S. Seeley

Columbia University
Department of Electrical Engineering
Morningside Heights
New York, N. Y.
Attn: Dr. Schlesinger

McGill University
Montreal, Canada
Attn: Prof. G. A. Wootton
Director, The Eaton Electronics
Research Lab.

Purdue University
Department of Electrical Engineering
Lafayette, Indiana
Attn: Dr. Schultz

The Pennsylvania State University
Department of Electrical Engineering
University Park, Pennsylvania

University of Pennsylvania
Institute of Cooperative Research
3400 Walnut Street
Philadelphia, Pennsylvania
Attn: Dept. of Electrical Engineering

University of Tennessee
Ferris Hall
W. Cumberland Avenue
Knoxville 16, Tennessee

University of Wisconsin
Department of Electrical Engineering
Madison, Wisconsin
Attn: Dr. Schiebe

University of Seattle
Department of Electrical Engineering
Seattle, Washington
Attn: Dr. D. K. Reynolds

Wayne University
Detroit, Michigan
Attn: Prof. A. F. Stevenson

Electronics Research Laboratory
Illinois Institute of Technology
3300 So. Federal Street
Chicago 16, Illinois
Attn: Dr. Lester C. Peach
Research Engineer

Advisory Group on Electronic Parts
Room 103
Moore School Building
200 South 33rd Street
Philadelphia 4, Pennsylvania

Ionosphere Research Laboratory
 Pennsylvania State College
 State College, Pennsylvania
 ATTN: Professor A. H. Wavnick, Director

Institute of Mathematical Sciences
 25 Waverly Place
 New York 3, New York
 ATTN: Librarian

Electronics Division
 Rand Corporation
 1700 Main Street
 Santa Monica, California
 ATTN: Dr. Robert Kalaba

National Bureau of Standards
 Washington, D. C.
 ATTN: Dr. W. K. Saunders

Applied Mathematics and Statistics Lab.
 Stanford University
 Stanford, California
 ATTN: Dr. Albert H. Bowker

Department of Physics and Astronomy
 Michigan State College
 East Lansing, Michigan
 ATTN: Dr. A. Leitner

University of Tennessee
 Knoxville, Tennessee
 ATTN: Dr. Fred A. Picken

Lebanon Valley College
 Annville, Pennsylvania
 ATTN: Professor B.H. Bissinger

General Atomic
 P. O. Box 608
 San Diego 12, California
 Attn: Dr. Edward Garbuny

Department of Physics
 Amherst College
 Amherst, Mass.
 ATTN: Dr. Arnold Arons

California Institute of Technology
 1201 E. California Street
 Pasadena, California
 ATTN: Dr. A. Erdelyi

Mathematics Department
 Stanford University
 Stanford, California
 ATTN: Dr. Harold Levine

University of Minnesota
 Minneapolis 14, Minnesota
 ATTN: Professor Paul C. Rosenbloom

Department of Mathematics
 Stanford University
 Stanford, California
 ATTN: Professor Bernard Epstein

Applied Physics Laboratory
 The Johns Hopkins University
 8621 Georgia Avenue
 Silver Spring, Maryland
 ATTN: Dr. B. S. Goussary

(2) Exchange and Gift Division
 The Library of Congress
 Washington 25, D. C.

Electrical Engineering Department
 Massachusetts Institute of Technology
 Cambridge 39, Mass.
 ATTN: Dr. L. J. Chu

Nuclear Development Associates, Inc.
 5 New Street
 White Plains, New York
 ATTN: Library

California Institute of Technology
 Electrical Engineering
 Pasadena, California
 ATTN: Dr. Zohrab A. Kaprielian

Dr. Rodman Doll
 311 W. Cross Street
 Ypsilanti, Michigan

California Inst. of Technology
 Pasadena, California
 ATTN: Mr. Calvin Wilcox

(3) Mr. Robert Brockhurst
 Woods Hole Oceanographic Institute
 Woods Hole, Mass.

National Bureau of Standards
 Boulder, Colorado
 ATTN: Dr. R. Gallet

Dr. Solomon L. Schwebel
 3689 Louis Road
 Palo Alto, California

University of Minnesota
 The University of Library
 Minneapolis 14, Minnesota
 ATTN: Exchange Division

Department of Mathematics
 University of California
 Berkeley, California
 ATTN: Professor Bernard Friedman

Lincoln Laboratory
 Massachusetts Institute of Technology
 P. O. Box 73
 Lexington 73, Massachusetts
 ATTN: Dr. Shou Chin Wang, Room C-351

Melpar, Inc.,
 3000 Arlington Boulevard
 Falls Church, Virginia
 ATTN: Mr. K. S. Kelleher, Section Head

Hq. Air Force Cambridge Research Center
 Laurence G. Hanscom Field
 Bedford, Mass.
 ATTN: Mr. Francis J. Zucker, CRRD

Hq. Air Force Cambridge Research Center
 Laurence G. Hanscom Field
 Bedford, Mass.
 ATTN: Dr. Phillip Newman, CRK

Mr. M. C. Gerson
 Trapelo Road
 South Lincoln, Mass.

Dr. Richard B. Barrar
 Systems Development Corp.
 2400 Colorado Avenue
 Santa Monica, California

Columbia University Hudson Laboratories
 P.O. Box 239
 145 Palisade Street, Dobbs Ferry, N. Y.
 ATTN: Dr. N. W. Johnson

Institute of Fluid Dynamics
 and Applied Mathematics
 University of Maryland
 College Park, Maryland
 ATTN: Dr. Elliott Montroll

Department of Electrical Engineering
 Washington University
 Saint Louis 5, Mo.
 ATTN: Professor J. Van Bladel

Department of the Navy
 Office of Naval Research Branch Office
 1030 E. Green Street
 Pasadena 1, California

Brandeis University
 Waltham, Mass.
 ATTN: Library

General Electric Company
 Microwave Laboratory
 Electronics Division
 Stanford Industrial Park
 Palo Alto, California
 ATTN: Library

Smyth Research Associates
 3555 Aero Court
 San Diego 3, California
 ATTN: Dr. John B. Smyth

Electrical Engineering
 California Institute of Technology
 Pasadena, California
 ATTN: Dr. Georges G. Weill

Naval Research Laboratory
 Washington 25, D. C.
 ATTN: Henry J. Passerini, Code 5278A

Dr. George Kear
 5 Culver Court
 Orinda, California

Brooklyn Polytechnic
 85 Livingston Street
 Brooklyn, New York
 ATTN: Dr. Nathan Marcuvitz

Department of Electrical Engineering
 Brooklyn Polytechnic
 85 Livingston Street
 Brooklyn, New York
 ATTN: Dr. Jerry Shmays

Department of Mathematics
 University of New Mexico
 Albuquerque, New Mexico
 ATTN: Dr. I. Kolodner

Mathematics Department
 Polytechnic Institute of Brooklyn
 Johnson and Jay Street
 Brooklyn, New York
 ATTN: Dr. Harry Hochstadt

Ballistics Research Laboratory
 Aberdeen Proving Grounds
 Aberdeen, Maryland
 ATTN: Dr. Pullen Keats

Dr. Lester Kraus
 4135 Whitehaven Way
 San Diego, California

University of Minnesota
 Institute of Technology
 Minneapolis, Minnesota
 Attn: Dean Athelston Spilhaus

Ohio State University
 Columbus, Ohio
 Attn: Prof. C. T. Tai
 Department of Electrical Eng.

Naval Research Laboratories
 Washington 25, D. C.
 Attn: W. S. Ament, Code 5271

Naval Research Laboratory
 Washington 25, D. C.
 Attn: Dr. Leslie G. McCracken, Jr.
 Code 3933A

Office of Naval Research
 Department of the Navy
 Attn: Geophysics Branch, Code h16
 Washington 25, D. C.

Office of Chief Signal Officer
 Signal Plans and Operations Division
 Attn: SIWPL-2, Room 20
 Com. Liaison Br., Radio Prop. Sect.
 The Pentagon, Washington 25, D. C.

Defence Research Member
 Canadian Joint Staff
 2001 Connecticut Street
 Washington, D. C.

Central Radio Prop. Lab.
 National Bureau of Standards
 Attn: Technical Reports Library
 Boulder, Colorado

U. S. Weather Bureau
 U. S. Department of Commerce
 Washington 25, D. C.
 Attn: Dr. Harry Wexler

Dr. V. M. Papadopoulos
Dept. of Engineering
Brown University
Providence, R. I.

NYU
EM-

Keller, J. B.

NYU
EM-
147 Keller, J. B.
c. 1

Decay exponents and
diffraction coefficients
for surface waves...

JUL 15 64

**N. Y. U. Institute of
Mathematical Sciences**

25 Waverly Place
New York 3, N. Y.